



Citrus Juicer



See it, smell it, taste it, experience it. Really fresh, really good, really sweet and really profitable.

Why sell freshly squeezed citrus juices made with the Fresh'n Squeeze® Citrus Juicer?

Whole Fruit Extraction Principle

JBT FoodTech technology provides you with a compact juicer that will not only extract juice using the patented “whole fruit extraction principle”, but will also “pump” the juice into the free-standing chilled juice dispenser. The process is a real attention getter for your customers and the Citrus Juicer shows the whole juicing technique. Seeing the juice made fresh is a big part of the experience, but the most important is the taste.

Sweetest Juice

Now recognized around the world as the Point-of-Sale Juice Extractor that produces the sweetest juice in the lowest level of citrus peel oil within the juice at yields that were never before available.


Image Builder

The ultimate foodservice image builder. Freshly squeezed orange juice and lemonade made in view of your customers fresh everyday perfect for hotels, restaurants, coffee shops, convenience stores and juice bars.

So, if your plans are to add or expand by offering a Fresh and Natural product like Fresh Squeezed Orange Juice and Fresh Squeezed Lemonade, let your consumers experience juices made with the Fresh'n Squeeze Citrus Juicer.

Fresh'n Squeeze® Citrus Juicer

The orange peel is stripped away from the fruit by the upper and lower cups as they close together.



Fresh'n Squeeze® Citrus Juicer

Technical Specifications

(metric shown in brackets)


Throughput	10 or 13 fruit per minute
Fruit Hopper Capacity	15-20 Fruit
Approximate Juice Production	1500-1700 ounces/46 quarts (43 liters) per hour
Juicer Dimensions	Height 31-1/2" (80 cm)...Width 18" (46 cm)...Depth 22-3/16" (56 cm)
Shipping Dimensions	Height 41" (104 cm)...Width 30" (76 cm)...Depth 36" (91 cm)
Electrical Requirements	100/110/115 volts...50/60 Hz...20 amp service...single phase
Electrical Requirements (Export Models)	200/220/230 volts...50/60 Hz...16 amp service...single phase
Safety Features	Completely enclosed, safety interlock switches
Finish	Stainless Steel with clear Lexan juicing window
Weight	200 lbs. (90 kg)...Shipping Wt. 235 lbs. (106 kg)
Waste Container Holds Peel From	30-40 Fruit

Standard Citrus Juicing Components

Average Fruit Size	2-1/2" to 3-1/4"
Typical Fruit Count	Per 40 lb. (18 kg) Carton...80-138
Versatility	Oranges, Lemons, Limes, Tangerines

Optional Accessories

- Strainer Tubes to Vary Pulp Levels
- Chiller/Dispenser Attachments
- Mobile Cart with Dispenser Shelf
- Fruit Hopper, 20 lbs. (9 kg) Capacity



Note: Add 4" to overall height for Citrus Juicer with legs.



Copyright © John Bean Technologies Corporation 2008

JBT FoodTech
 400 Fairway Avenue
 Lakeland, FL 33801
 +1 863 683 5411



We are your single source for profitable processing solutions

JBT FoodTech can provide you with portioners, freezers, and everything in between – including process control, food product development assistance, operator training and a full range of customer support alternatives.

Our Food Technology Centers have served leading processors in development of many of the world's most popular food brands. Learn how to increase your processing potential by contacting your JBT FoodTech representative or by visiting our website.

www.jbtfoodtech.com



North America

JBT FoodTech
400 Fairway Ave
Lakeland, FL 33801
USA
Phone: +1 863 683 5411
Fax: +1 863 680 3672

Brazil

JBT Máquinas e Equipamentos
Industriais Ltda.
Av. Eng. Camilo Dinucci 4605
14808-900 Araraquara
São Paulo Brazil
Phone: +55 16 3301 2000
Fax: +55 16 3332 0565

Europe

JBT FoodTech, S.L.
Julián Camarillo 26, 4º
28037 Madrid Spain
Phone: +34 91 304 00 45
Fax: +34 91 327 50 03

Latin America

JBT FoodTech
Carr. Mty-Salttillo Km 7—Bodega 4
Colonia Las Mitras
Santa Catarina, NL
Mexico 66350
Phone: +52 81 81 23 70 55
Fax: +52 81 81 23 70 54

South Africa

JBT (Pty) Ltd.
Koper Street
Brackenfell
Cape Town, South Africa 7560
Phone: +27 21 982 1130
Fax: +27 21 982 1136

Asia / Pacific

JBT (Shanghai) Co. Ltd.
Room 3002-3003
Haitong Security Building
No. 689 Guangdong Road
Shanghai 200001,
China
Phone: +86 21 6341 1616
Fax: +86 21 6341 0708

www.jbtfoodtech.com